




NxGen Bio Med  
support@nxgenbiomedical.com

SAMPLE NAME:  
SAMPLE CODE:  
RECEIVED DATE:  
PUBLISHED DATE:


GLOW  
TZVN-K8AD  
03/06/2026  
03/16/2026



DECLARED IDENTITY	GHK-Cu, BPC-157, TB500 (17-23 Fragment)
MATRIX TYPE:	PEPTIDE BLEND
SAMPLE NAME:	GLOW
SAMPLE SIZE:	70.0 mg
LOT CODE:	GW0001




**70.77 mg**  
Total Quantity



**98.70%**  
Total Blend Purity

Sample	Test	Specification	Result	Status
Peptide Blend	IDENTITY	GHK-Cu, BPC-157, TB500 (17-23 Fragment)	GHK-Cu, BPC-157, TB500 (17-23 Fragment)	CONFORMS
Peptide Blend	QUANTITY	MEASURE	70.77 mg	MEASURED
Peptide Blend	PURITY	> 98.0%	98.70%	CONFORMS

### HPLC Chromatogram Report



RESULTS REVIEWED BY:

*Anthony Burke*  
Anthony Burke PhD  
Lab Manager  
03/16/2026

RESULTS CERTIFIED BY:

*Levi Fried*  
Dr. Levi Fried MD  
Lab Director  
03/16/2026

ACCUMARKLABS.COM  
TZVN-K8AD  
03/16/2026





NxGen Bio Med  
support@nxgenbiomedical.com

SAMPLE NAME:  
SAMPLE CODE:  
RECEIVED DATE:  
PUBLISHED DATE:

GLOW  
TZVN-K8AD  
03/06/2026  
03/16/2026

Sample	Test	Specification	Result	Status
Peptide Blend	Endotoxin (LAL)	< 5.0 EU/mL	Pass	CONFORMS
Peptide Blend	Rapid Sterility Screening (PCR)	Not Detected	Pass	CONFORMS

Analyte	Test	Specification	Result	Status
GHK-Cu	IDENTITY	GHK-Cu	GHK-Cu	CONFORMS
GHK-Cu	QUANTITY	MEASURE	50.1 mg	MEASURED
GHK-Cu	PURITY	> 98.0%	98.939%	CONFORMS
BPC-157	IDENTITY	BPC-157	BPC-157	CONFORMS
BPC-157	QUANTITY	MEASURE	9.85 mg	MEASURED
BPC-157	PURITY	> 98.0%	96.27%	-1.8%
TB500 (17-23 Fragment)	IDENTITY	TB500 (17-23 Fragment)	TB500 (17-23 Fragment)	CONFORMS
TB500 (17-23 Fragment)	QUANTITY	MEASURE	10.82 mg	MEASURED
TB500 (17-23 Fragment)	PURITY	> 98.0%	99.82%	CONFORMS

RESULTS CERTIFIED BY:

RESULTS CERTIFIED BY:

*Anthony Burke*  
Anthony Burke PhD  
Lab Manager  
03/16/2026

*Levi Fried*  
Dr. Levi Fried MD  
Lab Director  
03/16/2026

ACCUMARKLABS.COM  
TZVN-K8AD  
03/16/2026

